



SUNFULL
TIRES

SUNFUL
TIRES



PCR, SUV & LTR
Tire Catalog



Shandong Hengfeng Rubber & Plastic Co., Ltd.

Company Profile:


SUNFULL Tires, enjoying high popularity in the domestic and international market, is one of the major brands developed by Shandong Hengfeng Rubber & Plastic Co., Ltd.

Shandong Hengfeng Rubber & Plastic Co., Ltd., one of the major tire manufacturers in China, was established in 1995 and covers a land of about 2 square kilometers, with the total assets of over RMB 5 billion and more than 10000 employees. The company owns six plants in Dongying city and Linyi city of Shandong province in China. Three TBR plants with annual production capacity of 6 million tires, three PCR plants with annual production capacity of 24 million tires.

Hengfeng specializes in manufacturing radial tires widely used in passenger car, light truck, truck and bus etc. And in all seasons with excellent performance, which are well-reputed all over the world.

Hengfeng takes pride in its experience R&D team and advanced testing facilities, which assure the excellent and stable quality of its products. Many of Hengfeng's manufacturing equipments are imported from Europe, United States and Japan.

Hengfeng has built a strong quality assurance system and its products are accredited with certificates of ISO9001, TS16949, DOT, ECE, GCC, INMETRO, CCC, BIS, SNI, SONCAP, etc.



We export to more than 120 countries in the world



Qualifications:



TS16949



ISO9001



DOT



ECE



INMETRO



GCC



BIS



SNI



SONCAP


TABLE OF CONTENTS


PCR


 **SF-888.....P1**

 **SF-688.....P3**


SUV

 **MONT-PRO HT782.....P5**

 **MONT-PRO AT782.....P6**

 **MONT-PRO MT781.....P7**

LIGHT TRUCK

 **SF-05.....P8**

ALL SEASON

 **SF-983 ASP9**

 **SF-08 ASP10**

WINTER

 **SF-982.....P11**

 **SF-W11.....P12**

 **MONT-PRO W781.....P13**

 **SF-W05.....P14**

 **SF-W07.....P15**



ULTRA HIGH PERFORMANCE &
ASYMMETRICAL PATTERN DESIGN

SF-888



- 15- 20 Inch
- Speed Rating: V-W
- 30-55 Series
- UTQG: 280AAA

Features

Four wide circumferential grooves, lateral grooves with fine sipes and continuous block patterns on shoulder

Variable pitch tread design


Jointless Nylon Band

Silica tread compound

Rim protector

Benefits

- ▶ Provide efficient water evacuation, outstanding wet performance and enhanced stability at high speed cornering
- ▶ Superior comfort and quiet ride
- ▶ Improve tread stiffness and uniformity and deliver high speed stability
- ▶ Provide better performance on wet surface and reduce rolling resistance
- ▶ Protect wheels from curb damage



Series	Size	Load Index	Speed Rating	UTQG	Series	Size	Load Index	Speed Rating	UTQG
30	265/30R19	93 XL	W	280AAA	45	245/45R17	99 XL	W	280AAA
	275/30R19	96 XL	W	280AAA		215/45R18	93 XL	W	280AAA
	255/30R20	92XL	W	280AAA		225/45R18	95 XL	W	280AAA
	275/30R20	97 XL	W	280AAA		235/45R18	98 XL	W	280AAA
35	265/35R18	97 XL	W	280AAA	245/45R18	100 XL	W	280AAA	
	215/35R19	85 XL	W	280AAA	255/45R18	103 XL	W	280AAA	
	225/35R19	88 XL	W	280AAA	245/45R19	102 XL	W	280AAA	
	235/35R19	91 XL	W	280AAA	165/50R15	72	V	280AAA	
	245/35R19	93 XL	W	280AAA	195/50R15	86 XL	V	280AAA	
	255/35R19	96 XL	W	280AAA	205/50R15	86	V	280AAA	
	275/35R19	100 XL	W	280AAA	185/50R16	81	V	280AAA	
	225/35R20	90 XL	W	280AAA	195/50R16	88 XL	V	280AAA	
	255/35R20	97 XL	W	280AAA	205/50R16	91 XL	W	280AAA	
	295/35R21	107 XL	W	280AAA	225/50R16	92	V	280AAA	
40	205/40R17	84 XL	W	280AAA	205/50R17	93 XL	W	280AAA	
	215/40R17	87 XL	W	280AAA	215/50R17	95 XL	W	280AAA	
	245/40R17	95 XL	W	280AAA	225/50R17	98 XL	W	280AAA	
	225/40R18	92 XL	W	280AAA	235/50R18	101 XL	W	280AAA	
	235/40R18	95 XL	W	280AAA	195/55R15	85	V	280AAA	
	245/40R18	97 XL	W	280AAA	205/55R15	88	V	280AAA	
	225/40R19	93 XL	W	280AAA	185/55R16	83	V	280AAA	
	235/40R19	96 XL	W	280AAA	195/55R16	91 XL	V	280AAA	
	245/40R19	98 XL	W	280AAA	205/55R16	94 XL	W	280AAA	
	255/40R19	100 XL	W	280AAA	215/55R16	97 XL	V	280AAA	
45	195/45R15	82 XL	V	280AAA	215/55R16	97 XL	W	280AAA	
	195/45R16	84 XL	V	280AAA	225/55R16	99 XL	V	280AAA	
	205/45R16	87 XL	W	280AAA	205/55R17	95 XL	W	280AAA	
	205/45R17	88 XL	W	280AAA	215/55R17	98 XL	W	280AAA	
	215/45R17	91 XL	W	280AAA	225/55R17	101 XL	W	280AAA	
	225/45R17	94 XL	W	280AAA	235/55R17	103 XL	W	280AAA	
	235/45R17	97 XL	W	280AAA					



SF-688



12-17 Inch Speed Rating: T-W
50-80 Series UTQG: 400AA


Features

- Enhanced compound
- Four wide circumferential tread grooves
- Streamlined pattern design
- Optimized variable pitch tread design

Benefits

- ▶ Excellent grip on wet and dry road conditions
- ▶ Deliver excellent performance on wet roads
- ▶ Provide excellent water evacuation and beautiful appearance
- ▶ Superior comfort and quiet ride

Series	Size	Load Index	Speed Rating	UTQG	Series	Size	Load Index	Speed Rating	UTQG	Series	Size	Load Index	Speed Rating	UTQG
50	195/50R15	82	V	400AA	60	195/60R15	88	V	400AA	65	215/65R16	102 XL	H	400AA
	205/50R16	87	V	400AA		205/60R15	91	H	400AA		145/70R12	69	T	400AA
	215/50R17	95 XL	W	400AA		205/60R15	91	V	400AA		155/70R12	73	T	400AA
	225/50R17	98 XL	W	400AA		215/60R15	94	H	400AA		165/70R12	77	T	400AA
165/55R14	72	H	400AA	195/60R16		89	H	400AA	175/70R12		80	T	400AA	
185/55R14	80	H	400AA	205/60R16		92	V	400AA	145/70R13		71	T	400AA	
175/55R15	77	T	400AA	215/60R16		95	V	400AA	155/70R13		75	T	400AA	
185/55R15	82	V	400AA	225/60R16		98	H	400AA	165/70R13		79	T	400AA	
195/55R15	85	V	400AA	225/60R16		102 XL	V	400AA	175/70R13		82	T	400AA	
205/55R16	91	V	400AA	155/65R13		73	T	400AA	185/70R13		86	H	400AA	
215/55R16	97 XL	V	400AA	165/65R13	77	T	400AA	165/70R14	81	T	400AA			
215/55R17	98 XL	W	400AA	155/65R14	75	T	400AA	175/70R14	84	T	400AA			
225/55R17	101 XL	W	400AA	165/65R14	79	T	400AA	185/70R14	88	H	400AA			
55	165/60R13	73	T	400AA	175/65R14	82	T	400AA	195/70R14	91	H	400AA		
	175/60R13	77	H	400AA	175/65R14	82	H	400AA	205/70R14	95	H	400AA		
	185/60R13	80	H	400AA	185/65R14	86	H	400AA	205/70R15	96	H	400AA		
	205/60R13	86	T	400AA	145/65R15	72	T	400AA	215/70R15	98	H	400AA		
	165/60R14	75	H	400AA	165/65R15	81	T	400AA	225/70R15	100	H	400AA		
	185/60R14	82	H	400AA	175/65R15	84	H	400AA	145/80R12	74	T	400AA		
	195/60R14	86	H	400AA	185/65R15	88	H	400AA	155/80R12	77	T	400AA		
	205/60R14	88	H	400AA	195/65R15	95 XL	H	400AA	135/80R13	70	T	400AA		
	165/60R15	77	H	400AA	195/65R15	91	V	400AA	155/80R13	79	T	400AA		
	175/60R15	81	H	400AA	205/65R15	94	V	400AA	165/80R13	83	T	400AA		
60	185/60R15	84	H	400AA	215/65R15	96	H	400AA	165/80R14	85	T	400AA		
					205/65R16	95	H	400AA	175/80R14	88	T	400AA		
					215/65R16	98	H	400AA	185/80R15	93	T	400AA		



SUNFULL



DELIVER GRIP AND LONG TREAD WEAR FOR ALL-SEASON HIGHWAY DRIVING

MONT-PRO HT782

Series	Size	Ply Rating	Load Index	Speed Rating	UTQG
SUV	235/60R16		100	H	440AA
	215/60R17		96	H	440AA
	225/60R17		99	H	440AA
	235/60R17		102	H	440AA
	255/60R17		110 XL	H	440AA
	215/65R16		98	H	440AA
	225/65R17		102	H	440AA
	235/65R17		108 XL	H	440AA
	245/65R17		111 XL	H	440AA
	265/65R17		112	H	440AA
	215/70R16		100	H	440AA
	225/70R16		103	H	440AA
	235/70R16		106	H	440AA
	245/70R16		111 XL	H	440AA
	255/70R16		111	T	440AA
	265/70R16		112	H	440AA
	245/70R17		110	T	440AA
	265/70R17		115	T	440AA
	235/75R15		109 XL	H	440AA
	31X10.50R15LT	6PR	109	R	
LT265/70R17	10PR	121/118	S		
LT235/75R15	6PR	104/101	R		
LT225/75R16	10PR	115/112	S		
LT245/75R16	10PR	120/116	S		
LT265/75R16	10PR	123/120	R		
LT245/75R17	10PR	121/118	S		
LT215/85R16	10PR	115/112	R		
LT235/85R16	10PR	120/116	R		



15-17 Inch Speed Rating: R-H
60-85 Series UTQG:460AA

Features

- Four circumferential grooves and open shoulder slots
- High-density sipes with silica compound
- Variable pitch pattern and optimized footprint design
- Solid center ribs
- Jointless Nylon Band

Benefits

- ▶ Prevent aquaplaning with enhanced wet grip performance
- ▶ Deliver a smooth ride, lower noise and improve traction on dry and wet roads
- ▶ Superior comfort and quiet ride
- ▶ Provide steering stability and deliver a comfortable ride
- ▶ Improve tread stiffness and uniformity and deliver high speed stability

SUNFULL



ALL-TERRAIN 4x4 SUV TIRE OUTSTANDING ON AND OFF-ROAD PERFORMANCE

MONT-PRO AT782

Series	Size	Ply Rating	Load Index	Speed Rating	UTQG
SUV	31x10.50R15LT	6PR	109	R	
	LT265/70R17	10PR	121/118	S	
	LT285/70R17	8PR	121/118	R	
	LT215/75R15	6PR	100/97	S	
	LT235/75R15	6PR	104/101	R	
	LT225/75R16	10PR	115/112	S	
	LT245/75R16	10PR	120/116	S	
	LT265/75R16	10PR	123/120	R	
	LT285/75R16	10PR	126/123	R	
	LT245/75R17	10PR	121/118	S	
	LT215/85R16	10PR	115/112	R	
	LT235/85R16	10PR	120/116	R	
	245/65R17		107	T	460AB
	265/65R17		112	T	460AB
	235/70R16		106	T	460AB
	245/70R16		107	T	460AB
	255/70R16		111	T	460AB
	265/70R16		112	T	460AB
	245/70R17		110	T	460AB
	265/70R17		115	T	460AB
P285/70R17		117	T	460AB	
235/75R15		109	S	460AB	
245/75R16		111	S	460AB	
265/75R16		116	S	460AB	



15-17 Inch Speed Rating: R-T
65-85 Series UTQG:440AB

Features

- Special tread compound and wide footprint
- Block tread design with multiple-sipes
- Open shoulder grooves
- Jointless Nylon Band
- Strong structure design

Benefits

- ▶ Enhance tread life and deliver excellent braking on wet and dry roads
- ▶ Provide outstanding off-road traction
- ▶ Prevent aquaplaning with enhanced wet grip performance
- ▶ Improve tread stiffness and uniformity and deliver high speed stability
- ▶ Provide reliability and durability

SUNFULL

OUTSTANDING PERFORMANCE
IN EXTREME DRIVING CONDITIONS

MONT-PRO MT781



Series	Size	Ply Rating	Load Index	Speed Rating
SUV	31X10.50R15LT	6PR	109	Q
	33X12.5R15LT			
	33X12.5R20LT			
	35X12.5R20LT			
	LT265/70R17	10PR	121/118	Q
	LT235/75R15	6PR	104/101	Q
	LT245/75R16	10PR	120/116	Q
	LT265/75R16	10PR	123/120	Q

15-17 Inch Speed Rating: Q
70-75 Series

Features

- Aggressive pattern design
- High void ratio and open shoulder design
- Special casing profile and solid shoulder pattern
- Reinforced casing construction

Benefits

- ▶ Outstanding traction in all conditions
- ▶ Excellent resistance to aquaplaning and self-cleaning performance
- ▶ Enhanced traction and cornering performance
- ▶ Superior overall resistance to damage

SUNFULL

HIGH DURABILITY
ENHANCED TRACTION
COMFORTABLE RIDE

SF-05

Series	Size	Ply Rating	Load Index	Speed Rating
LT	155R12C	8PR	88/86	Q
	155R13C	8PR	90/88	Q
	165R13C	8PR	94/92	R
	175R13C	8PR	97/95	R
	175R14C	8PR	99/98	R
	185R14C	8PR	102/100	R
	195R14C	8PR	106/104	R
	205R14C	8PR	109/107	Q
	195R15C	8PR	106/104	R
	205R16C	8PR	110/108	Q
	215/60R16C	8PR	108/106	R
	175/65R14C	6PR	90/88	T
	205/65R15C	6PR	102/100	T
	195/65R16C	8PR	104/102	T
	205/65R16C	8PR	107/105	T
	215/65R16C	8PR	109/107	T
	225/65R16C	8PR	112/110	T
	235/65R16C	8PR	115/113	T
	165/70R13LT	6PR	88/86	S
	165/70R14C	6PR	89/87	R
	175/70R14LT	6PR	95/93	S
	195/70R15C	8PR	104/102	R
	205/70R15C	8PR	106/104	R
	215/70R15C	8PR	109/107	R
	225/70R15C	8PR	112/110	R
	185/75R16C	8PR	104/102	R
	195/75R16C	8PR	107/105	R
	205/75R16C	8PR	110/108	R
215/75R16C	10PR	116/114	R	
225/75R16C	12PR	121/120	R	



12-16 Inch Speed Rating: Q-T

Features

- Reinforced structure composed of two steel belts and full nylon protector
- Zigzag vertical groove with continuous sipes
- Special abrasion-resistant tread compound
- Solid shoulder design with wide grooves and continuous sipes

Benefits

- ▶ Deliver extra puncture resistance and robust load bearing capacity
- ▶ Provide excellent wet and dry grip
- ▶ Provide enhanced mileage with reduced heat
- ▶ Provide responsive handling, even wear and excellent water evacuation

SUNFULL



ALL SEASON PERFORMANCE TIRE
FOR PASSENGER CARS

SF-983 AS

SUNFULL



ALL SEASON PERFORMANCE TIRE
FOR COMMERCIAL VANS

SF-08 AS



Series	Size	Load Index	Speed Rating
40	225/40R18	92 XL	V
	245/40R18	97 XL	V
	195/45R16	84 XL	V
	205/45R16	87 XL	V
50	195/50R15	86XL	V
	195/50R16	88 XL	V
	205/50R17	93 XL	V
	215/50R17	95 XL	V
55	225/50R17	98XL	V
	185/55R14	80	H
	185/55R15	86 XL	H
	195/55R15	85	H
	195/55R16	91XL	V
	205/55R16	94 XL	V
	215/55R16	97XL	V
	215/55R17	98 XL	V
	225/55R17	101XL	V
	235/55R17	103 XL	V

Features

- Asymmetric Pattern
- High grip silica compound
- Two straight & two semi zigzag longitudinal grooves
- Two types sipes

Benefits

- Multi-performance harmony for total balanced all season driving.
- Improved snow / wet traction and lowered rolling resistance.
- Reduced ground resistance enables a smoother flow over water and snow, ensure the best wet and snow traction performance.
- The application of summer and winter sipes allows the tire to possess high summer capabilities and winter capabilities.

Series	Size	Load Index	Speed Rating
60	165/60R14	75	H
	185/60R14	82	H
	165/60R15	77	T
	185/60R15	88 XL	H
	195/60R15	88	H
65	205/60R16	96XL	V
	215/60R16	99 XL	H
	155/65R13	73	T
	165/65R13	77	T
70	155/65R14	75	T
	155/70R13	75	T
80	165/70R13	79	T
	165/70R14	81	T
	175/70R14	88XL	T
85	175/65R14	82	T
	165/65R15	81	T
65	175/65R15	88XL	T
	185/65R15	88	H
	195/65R15	91	H
	215/65R16	102 XL	H
70	155/70R13	75	T
	165/70R13	79	T
	165/70R14	81	T
80	175/70R14	88XL	T
	155/80R13	79	T

Series	Size	Load Index	Speed Rating
LT	195/65R16C	104/102	R
	205/65R16C	107/105	T
	215/65R16C	109/107	T
	235/65R16C	115/113	T
	195/70R15C	104/102	R
	215/70R15C	109/107	R
	195/75R16C	107/105	R
	215/75R16C	116/114	R
	225/75R16C	121/120	R

Series	Size	Load Index	Speed Rating
LT	195/65R16C	104/102	R
	205/65R16C	107/105	T
	215/65R16C	109/107	T
	235/65R16C	115/113	T
	195/70R15C	104/102	R
	215/70R15C	109/107	R
	195/75R16C	107/105	R
	215/75R16C	116/114	R
	225/75R16C	121/120	R



13-18 Inch Speed Rating: R-T
65-75 Series

Features

- Balanced pattern design
- High grip silica compound
- Three zigzag grooves
- Optimised sipe sequence on all four ribs

Benefits

- Maximised for winter performance, boasts dry and wet performance on par with most summer tires. It provides excellent driving performance under all weather conditions.
- Improved snow / wet traction and lowered rolling resistance.
- To secure safety on wet roads, to satisfy both hydroplaning and snow performance.
- For all surfaces from normal roads to rain and snow.

EXCELLENT GRIP AND HANDLING
IN ALL WINTER CONDITIONS

SF-982



- 13-18 Inch
- Speed Rating: T-H
- 40-80 Series

Features

- Outer longitudinal rib block design and inner lateral slots
- Silica tread compound
- Three longitudinal grooves
- Non-through block sipes

Benefits

- Enhance braking, cornering grip and the removal of water and slush
- Deliver superb traction and lower rolling resistance
- Improve water evacuation and stability in deep snow conditions
- Provide excellent grip, minimise the friction and reduce rolling resistance

Series	Size	Load Index	Speed Rating
40	225/40R18	92 XL	H
	245/40R18	97 XL	H
	195/45R16	84 XL	H
45	205/45R17	88 XL	H
	215/45R17	91 XL	H
	225/45R17	94 XL	H
	235/45R18	98 XL	H
50	245/45R18	100 XL	H
	195/50R15	86 XL	H
	195/50R16	88 XL	H
	205/50R17	93 XL	H
55	215/50R17	95 XL	H
	225/50R17	98 XL	H
	185/55R15	86 XL	H
	195/55R15	85	H
60	195/55R16	91 XL	H
	205/55R16	91	H
	215/55R16	97 XL	H
	205/55R17	95 XL	H
	215/55R17	98 XL	H
	225/55R17	101 XL	H
	235/55R17	103 XL	H
60	165/60R14	75	H
	185/60R14	82	T
	175/60R15	81	H

Series	Size	Load Index	Speed Rating
60	185/60R15	84	T
	195/60R15	88	H
	205/60R16	92	H
	215/60R16	99 XL	H
	215/60R17	96	H
	225/60R17	99	H
	155/65R13	73	T
65	155/65R14	75	T
	175/65R14	82	T
	185/65R14	86	T
	175/65R15	84	T
	185/65R15	88	T
	195/65R15	91	T
	205/65R15	94	H
70	215/65R16	98	H
	225/65R17	102	H
	235/65R17	108 XL	H
	155/70R13	75	T
	165/70R13	79	T
	175/70R13	82	T
	185/70R13	86	T
80	165/70R14	81	T
	175/70R14	88 XL	T
	155/80R13	79	T

STUDDABLE WINTER TIRE FOR
CUV/SUVS AND PASSENGER CARS

SF-W11



- 13-17 Inch
- Speed Rating: T-H
- 45-70 Series

Series	Size	Load Index	Speed Rating
45	225/45R17	94 XL	H
	185/55R15	86 XL	H
	205/55R16	91	H
	215/55R17	98 XL	H
55	225/55R17	101 XL	H
	185/60R15	84	T
	195/60R15	88	H
	205/60R16	92	H
60	215/60R16	99 XL	H
	225/60R16	98	H
	215/60R17	96	H
	225/60R17	99	H
	235/60R17	102	H
	175/65R14	82	T
	185/65R14	86	T
65	185/65R15	88	T
	195/65R15	91	T
	205/65R15	94	H
	205/65R16	95	H
	215/65R16	98	H
	225/65R16	100	H
	205/65R17	96	H
70	225/65R17	102	H
	235/65R17	104	T
	245/65R17	107	T
	175/70R13	82	T
	185/70R13	86	T
	185/70R14	88	T
	215/70R16	100	T
70	235/70R16	106	T
	245/70R17	110	T
	265/70R17	115	T

Features

- Directional Winter Tread Pattern
- Optimized Tread Sipe
- Solid Center Rib
- Optimum Allocation Multi Random Stud Lines
- Winter Traction Compound

Benefits

- Enhanced road contact and performance for snow and wet road conditions
- Enhanced acceleration and braking under winter conditions
- Improve handling when changing lane and cornering
- Improve traction performance on snow and ice and minimize stud noise
- Silica-rich compound give improved ice, snow and wet grip while maintaining performance in cold temperature

SUNFULL



**STUDDABLE WINTER TIRE
FOR SUVs & LIGHT TRUCKS**

MONT-PRO W781

Series	Size	Load Index	Speed Rating
65	LT275/65R18	123/120	S
	LT245/70R17	119/116	S
70	LT265/70R17	121/118	S
	LT275/70R18	125/122	S
75	LT235/75R15	104/101	R
	LT225/75R16	115/112	S
	LT245/75R16	120/116	S
	LT265/75R16	123/120	R
	LT245/75R17	121/118	S



15-18 Inch Speed Rating: R-S
65-75 Series

Features

- V-Shape Tread Pattern
- Multi-Angle Sipe Positioning
- Sawtooth Center Rib
- Optimum Allocation Multi Random Stud Lines
- Winter Traction Compound

Benefits

- Enhanced snow traction performance through rigidity of the blocks
- Enhanced grip for braking on icy and snowy roads
- Increase stability, maintain even treadwear, and aid in acceleration and braking
- Improve traction performance on snow and ice and minimize stud noise
- Silica-rich compound give improved ice, snow and wet grip while maintaining performance in cold temperature

SUNFULL



WINTER COMMERCIAL VAN TIRE

SF-W05

Series	Size	Ply Rating	Load Index	Speed Rating
LT	195/65R16C	8PR	104/102	R
	205/65R16C	8PR	107/105	R
	215/65R16C	8PR	109/107	R
	235/65R16C	8PR	115/113	R
	195/70R15C	8PR	104/102	R
	215/70R15C	8PR	109/107	R
	225/70R15C	8PR	112/110	R
	195/75R16C	8PR	107/105	R



15-16 Inch Speed Rating: R
65-75 Series

Features

- Silica tread compound
- Large block tread design
- Zigzag grooves and high-density sipes arrangement
- Reinforced construction

Benefits

- Provide better performance on wet surface and reduce rolling resistance
- Enhance traction and handling in snow conditions
- Improve grip performance from wet and frigid surfaces to snow and ice
- Deliver robust load bearing capacity and rugged durability

SUNFULL




**STUDDABLE WINTER TIRE
FOR COMMERCIAL VAN**

SF-W07



Technical File



12-16 Inch Speed Rating: Q-R

Series	Size	Ply Rating	Load Index	Speed Rating
LT	155R12	8PR	88/86	Q
	185/75R16C	8PR	104/102	R

Features

- High Void Directional Tread Pattern
- Multiple Sipe
- Three Sawtooth Main Grooves
- Winter Traction Compound

Benefits

- ▶ Help to maintain contact with the road in winter condition providing confidence in winter driving
- ▶ Improve grip power on snowy and icy road
- ▶ Deliver exceptional traction and control for winter driving condition
- ▶ Silica-rich compound give improved ice, snow and wet grip while maintaining performance in cold temperature

Speed Symbols

SI	KM/H
B	50
C	60
D	65
E	70
F	80
G	90
J	100
K	110
L	120
M	130
N	140
P	150
Q	160
R	170
S	180
T	190
U	200
H	210
V	240
W	270
Y	300
Z	Above 240

Load Capacity Index

LI	KG	LI	KG	LI	KG	LI	KG
50	190	70	335	90	600	110	1060
51	195	71	345	91	615	111	1090
52	200	72	355	92	630	112	1120
53	206	73	365	93	650	113	1150
54	212	74	375	94	670	114	1180
55	218	75	387	95	690	115	1215
56	224	76	400	96	710	116	1250
57	230	77	412	97	730	117	1285
58	236	78	425	98	750	118	1320
59	243	79	437	99	775	119	1360
60	250	80	450	100	800	120	1400
61	257	81	462	101	825	121	1450
62	265	82	475	102	850	122	1500
63	272	83	487	103	875	123	1550
64	280	84	500	104	900	124	1600
65	290	85	515	105	925	125	1650
66	300	86	530	106	950	126	1700
67	307	87	545	107	975	127	1750
68	315	88	560	108	1000	128	1800
69	325	89	580	109	1030	129	1850
						130	1900

